



SOIL COMPACTORS CR

Paver Roller

Vibratory Plates

Soil Compactors

Vibratory Rammers

Duplex/Trench Rollers

Concrete-/Cutting Technology

Benefits


The reversible CR soil compactors stand out above the competition with their superb compacting capacity and superior efficiency. Machines made by Weber MT are always the number one choice - whether they are needed for classic applications in road building and civil engineering or for embedding paving stones.

Their balanced operating characteristics and exceptionally smooth operation with low hand-arm vibrations provide for superb ease of use.



Apart from the standard features including E-start, other features are also offered for CR 6 to CR 9 soil compactors with Hatz diesel engine. The features available in the „MDM“ and the „CCD 2.0“ versions of these models include, respectively, an engine data management system and the COMPATROL® compaction control system.





| Typ | CR 3 Hd | CR 3 / CR 3 E | CR 5 Hd | CR 5 / CR 5 E |
|---------------------------------|---|---|---|---|
| Operating weight CECE, kg | 203 | 206/224 | 273 | 281/298 |
| Working width, cm | 50 (60/70) | 50 (60/70) | 55 (70) | 55 (70) |
| Centrifugal force, kN | 35 | 35 | 42 | 42 |
| Frequency, Hz | 80 | 80 | 75 | 75 |
| Engine | Honda GX 270 4-stroke, gasoline | Hatz 1B20 Diesel | Honda GX 270 4-stroke, gasoline | Hatz 1B30 Diesel |
| Engine output, max. kW (HP) | 6.0 (8.2) | 3.5 (4.8) | 6.0 (8.2) | 5.4 (7.4) |
| Power output at operating speed | 5.1 (7.0) at 3,000 kW (HP) at r.p.m. | 3.1 (4.2) at 3,000 kW (HP) at r.p.m. | 5.1 (7.0) at 3,000 kW (HP) at r.p.m. | 4.6 (6.2) at 3,000 kW (HP) at r.p.m. |
| Working speed, m/min | 0–20 | 0–20 | 0–20 | 0–20 |
| Dimensions (L x W x H), cm | 135 x 50 x 106 | 135 x 50 x 106 | 152 x 55 x 107 | 152 x 55 x 107 |

Paver Roller
Vibratory Plates
Soil Compactors
Vibratory Rammers
Duplex/Trench Rollers
Concrete-/Cutting Technology
Benefits

REVERSIBLE SOIL COMPACTOR CR 3

The all-rounder

Paver Roller

Vibratory Plates

Soil Compactors

Vibratory Rammers



Duplex/Trench Rollers

Concrete-/
Cutting Technology

Benefits

ADVANTAGES


- Hydraulic control for infinitely variable forward and reverse travel.
- Low hand/arm vibrations.
- Work without getting tired thanks to a height-adjustable guide bar and low hand-arm vibration handles.
- The engine is protected against external damage by a rugged protection frame and engine cover.
- Low maintenance requirements thanks to the centrifugal clutch with automatic tensioning feature.
- Simple maintenance as all maintenance components are easily accessible.
- Safe and quick loading thanks to the large, folding lifting eye.
- Flexible operation with regards to working widths thanks to extension plates.
- Higher operating convenience with electric starter.



Picture with accessories

AVAILABLE ACCESSORIES

- Extension plates.
- Polyurethane pad.
- Wheel kit.



AREAS OF APPLICATION

- Landscape.
- Sand and gravel compaction applications.
- Compaction of paving stones.

